Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



NT CAT LA-101 catalyst CAS31506-44-2 Newtopchem

NT CAT LA-101 is a non-emission amine catalyst used in the production of polyurethane foams. It is a clear colorless liquid that is soluble in water and organic solvents. NT CAT LA-101 is compatible with many polyols and isocyanates. It is used in a variety of polyurethane foam applications, including:

Soft foam for car seats, mattresses, and footwear

Hard foam for insulation and construction

Cold-set molding foam for medical devices and other applications

Features	value
Aliases	NT CAT LA-101, N-(2-(dimethyl amino) ethyl)-1-(3-(dimethyl amino) propyl) urea, urea, N-(2-(dimethyl amino) ethyl)-, J1.584.214J
CAS No.	31506-44-2
Molecular Formula	C7H17N3O
Molecular	161.2296 g/mole

Newtop Chemical Materials (Shanghai) Co.,Ltd.





weight	

Apply

NT CAT LA-101 is a non-emission amine catalyst for the production of polyurethane foams. It is a clear colorless liquid that is soluble in water and organic solvents. NT CAT LA-101 is compatible with many polyols and isocyanates. It is used in a variety of polyurethane foam applications, including:

- Soft foam for car seats, mattresses, and footwear
- Hard foam for insulation and construction
- Cold-set molding foam for medical devices and other applications

NT CAT LA-101 offers a number of advantages over conventional amine catalysts, including:

- No harmful emissions
- Compatible with many polyols and isocyanates
- Improved foam flow
- Provides good dimensional stability

Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



NT CAT LA-101 is a safe and effective catalyst for polyurethane foam production. Be sure to follow the manufacturer's instructions when using and wear personal protective equipment (PPE) when handling.




Table 1: Characteristics of the NT CAT LA-101

Features	value
Looks	Clear colorless liquid
Scent	slight
Specific Gravity	1.06

Newtop Chemical Materials (Shanghai) Co.,Ltd. Technical Indicators



168 ℃ Flash Point Complete Water soluble Solubility in organic Well. solvents Stability Stable under normal conditions Flammable and irritating to skin and Hazards eyes For the production of polyurethane Uses foam

Table 2: NT CAT LA-101 compared to other amine catalysts

NT CAT Other amine peculiarity

LA-101 catalysts

No harmful emissions Yes. Don't

Newtop Chemical Materials (Shanghai) Co.,Ltd.





Compatible with multiple polyols and isocyanates	Yes.	Don't			
Improved bubble liquidity	Yes.	Don't			
Provide good dimensional stability	Yes.	Don't			
Safe and effective	Yes.	Don't			
Expiration date:					
Remain unopened for two years					
Storage and Transportation:					
Should be sealed, stored in a dry cool ventilated warehouse					
Packing:					

200KG/ barrel storage: It is recommended to store in a dry and cool area with proper

Newtop Chemical Materials (Shanghai) Co.,Ltd.

Technical Indicators

ventilation. After the original packaging, please fasten the packaging cover as soon as

possible to prevent moisture and other substances from mixing and affecting the

product performance. Do not inhale dust and avoid contact between skin and mucous

membrane. Smoking, eating and drinking are prohibited in the workplace. Shower and

change after work. Store contaminated clothes separately and use them after washing.

Practice good hygiene.

Technical support and business contacts E-mail: info@newtopchem.com